



GB 1886.199—2016

---

2016-08-31

2017-01-01

---

GB 3862—2006

GB 3862—2006 , :

——" 41.5 ~ 44.0 " " 41.0 ~ 44.0 " ;

—— " " ;

—— " " " "

1

2


2.1

*l*-1- -4 -3

2.2

C<sub>10</sub>H<sub>20</sub>O

2.3



2.4

156.27 ( 2007 )

3

3.1

1

1

		GB/T 14454.2

3.2

2

2

(25 )	1 g      5 mL 90% ( )	GB/T 14455.3
, %	99.0	A
/	41.0 ~ 44.0	GB/T 14457.3
/ %	0.05	GB/T 14454.6
(25 )	- 50° ~ - 49°	GB/T 14454.5

A

A.1

A.1.1 : GB/T 11538—2006 5

A.1.2 :

A.1.3 :

A.2

: GB/T 11538—2006 10.4

: 2 g 1 mL ,

A.3

GB/T 11538—2006 11.4 ,


B

**B**

( )

**B.1**

**B.1**



1 — ( ) ;  
2 —

**B.1**

**B.2**

**B.2.1** : , 30 m, 0.25 mm

**B.2.2** : 20 000

**B.2.3** : 0.25 μm

**B.2.4** : 100 150 , 2.5 /min, 150 10 min

**B.2.5** : 230

**B.2.6** : 250

**B.2.7** :

**B.2.8** :

**B.2.9** : 103 kPa

**B.2.10** : 0.1 μL

**B.2.11** : 100 1